

CS473 - Algorithms I



Lecture 6-b Randomized Quicksort

View in slide-show mode

Randomized Quicksort

- In the avg-case analysis, we assumed that **all permutations** of the input array are **equally likely**.
 - ▣ But, this assumption **does not always hold**
 - ▣ e.g. What if **all** the input arrays are **reverse sorted**?
 - ➔ **Always worst-case behavior**
- Ideally, the avg-case runtime should be **independent of the input permutation**.
- **Randomness should be within the algorithm**, not based on the distribution of the inputs.
 - i.e. The avg case should hold for all possible inputs

Randomized Algorithms

- Alternative to assuming a uniform distribution:
 - Impose a uniform distribution
 - e.g. Choose a **random** pivot rather than the first element

- Typically useful when:
 - there are many ways that an algorithm can proceed
 - but, it's **difficult** to determine a way that is **always guaranteed to be good**.
 - If there are **many good alternatives**; simply **choose one randomly**.

Randomized Algorithms

- Ideally:
 - ▣ Runtime should be independent of the specific inputs
 - ▣ No specific input should cause worst-case behavior
 - ▣ Worst-case should be determined only by output of a random number generator.

Randomized Quicksort

Using Hoare's partitioning algorithm:

```
R-QUICKSORT(A, p, r)
```

```
  if  $p < r$  then
```

```
     $q \leftarrow$  R-PARTITION(A, p, r)
```

```
    R-QUICKSORT(A, p, q)
```

```
    R-QUICKSORT(A, q+1, r)
```

```
R-PARTITION(A, p, r)
```

```
   $s \leftarrow$  RANDOM(p, r)
```

```
  exchange A[p]  $\leftrightarrow$  A[s]
```

```
  return H-PARTITION(A, p, r)
```

Alternatively, permuting the whole array would also work

→ but, would be more difficult to analyze

Randomized Quicksort

Using Lomuto's partitioning algorithm:

```
R-QUICKSORT(A, p, r)
```

```
  if  $p < r$  then
```

```
     $q \leftarrow$  R-PARTITION(A, p, r)
```

```
    R-QUICKSORT(A, p,  $q-1$ )
```

```
    R-QUICKSORT(A,  $q+1$ , r)
```

```
R-PARTITION(A, p, r)
```

```
   $s \leftarrow$  RANDOM(p, r)
```

```
  exchange A[r]  $\leftrightarrow$  A[s]
```

```
  return L-PARTITION(A, p, r)
```

Alternatively, permuting the whole array would also work

→ but, would be more difficult to analyze

Notations for Formal Analysis

- Assume all elements in $A[p..r]$ are **distinct**
- Let $n = r - p + 1$
- Let $\text{rank}(x) = \left| \{A[i]: p \leq i \leq r \text{ and } A[i] \leq x\} \right|$
i.e. $\text{rank}(x)$ is the number of array elements with value less than or equal to x

	p						r
	5	9	7	6	8	1	4

$$\text{rank}(5) = 3$$

i.e. it is the **3rd** smallest element in the array

Formal Analysis for Average Case

- The following analysis will be for **Quicksort** using **Hoare's** partitioning algorithm.
- Reminder: The **pivot** is selected randomly and exchanged with $A[p]$ before calling **H-PARTITION**
- Let x be the **random pivot** chosen.
- What is the probability that $\text{rank}(x) = i$ for $i = 1, 2, \dots, n$?

$$P(\text{rank}(x) = i) = 1/n$$


Various Outcomes of H-PARTITION

Assume that $\text{rank}(x) = 1$

i.e. the random pivot chosen is the smallest element

What will be the size of the left partition ($|L|$)?

Reminder: Only the elements less than or equal to x will be in the left partition.



Various Outcomes of H-PARTITION


Assume that $\text{rank}(x) > 1$

i.e. the random pivot chosen is not the smallest element

What will be the **size of the left partition** ($|L|$)?

Reminder: Only the elements less than or equal to x will be in the left partition.

Reminder: The pivot will stay in the right region after H-PARTITION if $\text{rank}(x) > 1$



Various Outcomes of H-PARTITION - Summary

$\mathbf{P}(\text{rank}(x) = i) = 1/n$ for $1 \leq i \leq n$

x : pivot

if $\text{rank}(x) = 1$ then $|L| = 1$

$|L|$: size of left region

if $\text{rank}(x) > 1$ then $|L| = \text{rank}(x) - 1$

$\mathbf{P}(|L| = 1) = \mathbf{P}(\text{rank}(x) = 1) + \mathbf{P}(\text{rank}(x) = 2)$



$\mathbf{P}(|L| = 1) = 2/n$

$\mathbf{P}(|L| = i) = \mathbf{P}(\text{rank}(x) = i+1)$






for $1 < i < n$



$\mathbf{P}(|L| = i) = 1/n$

for $1 < i < n$

Various Outcomes of H-PARTITION - Summary

<u>rank(x)</u>	<u>probability</u>	<u>T(n)</u>	
1	1/n	$T(1) + T(n-1) + \Theta(n)$	
2	1/n	$T(1) + T(n-1) + \Theta(n)$	
3	1/n	$T(2) + T(n-2) + \Theta(n)$	
⋮	⋮	⋮	
⋮	⋮	⋮	
⋮	⋮	⋮	
i+1	1/n	$T(i) + T(n-i) + \Theta(n)$	
⋮	⋮	⋮	
⋮	⋮	⋮	
n	1/n	$T(n-1) + T(1) + \Theta(n)$	

Average - Case Analysis: Recurrence

$$\begin{array}{rcl}
 T(n) & = & \frac{1}{n} (T(1)+T(n-1)) & \text{rank}(x) \\
 & + & \frac{1}{n} (T(1)+T(n-1)) & 1 \\
 & + & \frac{1}{n} (T(2)+T(n-2)) & 2 \\
 & \vdots & \vdots & 3 \\
 & + & \frac{1}{n} (T(i)+T(n-i)) & \vdots \\
 & \vdots & \vdots & i+1 \\
 & + & \frac{1}{n} (T(n-1)+T(1)) & \vdots \\
 & + & \Theta(n) & n
 \end{array}$$

$x = \text{pivot}$

Recurrence

$$T(n) = \frac{1}{n} \sum_{q=1}^{n-1} (T(q) + T(n-q)) + \frac{1}{n} (T(1) + T(n-1)) + \Theta(n)$$

$$\text{Note: } \frac{1}{n} (T(1) + T(n-1)) = \frac{1}{n} (\Theta(1) + O(n^2)) = O(n)$$

$$\Rightarrow T(n) = \frac{1}{n} \sum_{q=1}^{n-1} (T(q) + T(n-q)) + \Theta(n)$$

- for $k = 1, 2, \dots, n-1$ each term $T(k)$ appears twice
once for $q = k$ and once for $q = n-k$

- $$T(n) = \frac{2}{n} \sum_{k=1}^{n-1} T(k) + \Theta(n)$$

Solving Recurrence: Substitution

Guess: $T(n) = O(n \lg n)$

I.H. : $T(k) \leq a k \lg k$ for $k < n$, for some constant $a > 0$

$$\begin{aligned} T(n) &= \frac{2}{n} \sum_{k=1}^{n-1} T(k) + \Theta(n) \\ &\leq \frac{2}{n} \sum_{k=1}^{n-1} (a k \lg k) + \Theta(n) \\ &= \frac{2a}{n} \sum_{k=1}^{n-1} (k \lg k) + \Theta(n) \end{aligned}$$

Need a tight bound for $\sum k \lg k$

Tight bound for $\sum k \lg k$

- Bounding the terms

$$\sum_{k=1}^{n-1} k \lg k \leq \sum_{k=1}^{n-1} n \lg n = n(n-1) \lg n \leq n^2 \lg n$$

This bound **is not strong** enough because

- $T(n) \leq \frac{2a}{n} n^2 \lg n + \Theta(n)$
 $= 2an \lg n + \Theta(n) \quad \rightarrow$ couldn't prove $T(n) \leq an \lg n$

Tight bound for $\sum k \lg k$

- Splitting summations: ignore ceilings for simplicity

$$\sum_{k=1}^{n-1} k \lg k \leq \sum_{k=1}^{n/2-1} k \lg k + \sum_{k=n/2}^{n-1} k \lg k$$

First summation: $k \lg k < \lg(n/2) = \lg n - 1$

Second summation: $k \lg k < \lg n$

Splitting:
$$\sum_{k=1}^{n-1} k \lg k \leq \sum_{k=1}^{n/2-1} k \lg k + \sum_{k=n/2}^{n-1} k \lg k$$

$$\begin{aligned} \sum_{k=1}^{n-1} k \lg k &\leq (\lg n - 1) \sum_{k=1}^{n/2-1} k + \lg n \sum_{k=n/2}^{n-1} k \\ &= \lg n \sum_{k=1}^{n-1} k - \sum_{k=1}^{n/2-1} k = \frac{1}{2} n(n-1) \lg n - \frac{1}{2} \frac{n}{2} \left(\frac{n}{2} - 1\right) \\ &= \frac{1}{2} n^2 \lg n - \frac{1}{8} n^2 - \frac{1}{2} n(\lg n - 1/2) \end{aligned}$$

$$\sum_{k=1}^{n-1} k \lg k \leq \frac{1}{2} n^2 \lg n - \frac{1}{8} n^2 \text{ for } \lg n \geq 1/2 \Rightarrow n \geq \sqrt{2}$$

Substituting: $\sum_{k=1}^{n-1} k \lg k \leq \frac{1}{2} n^2 \lg n - \frac{1}{8} n^2$

$$\begin{aligned} T(n) &\leq \frac{2a}{n} \sum_{k=1}^{n-1} k \lg k + \Theta(n) \\ &\leq \frac{2a}{n} \left(\frac{1}{2} n^2 \lg n - \frac{1}{8} n^2 \right) + \Theta(n) \\ &= an \lg n - \left(\frac{a}{4} n - \Theta(n) \right) \end{aligned}$$

We can choose a large enough so that $\frac{a}{4} n \geq \Theta(n)$

$$\Rightarrow T(n) \leq an \lg n \Rightarrow T(n) = O(n \lg n) \quad \text{Q.E.D.}$$